













522 Starkstromleiter

522.001

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE0-Kabel Dca 8x1,5	52	522 211 173		10,80	0,066	16,30	0,086			
		53	522 211 174		16,85	0,122	26,30	0,158			
	FE0-Kabel Dca 12x1,5	52	522 211 213		11,10	0,066	16,65	0,086			
		53	522 211 214		17,15	0,122	26,70	0,158			
	FE0-Kabel Dca 16x1,5	52	522 211 223		12,80	0,066	18,70	0,086			
		53	522 211 224		18,90	0,122	28,75	0,158			
	FE0-Kabel Dca 21x1,5	52	522 211 233		14,55	0,066	20,75	0,086			
		53	522 211 234		20,60	0,122	30,80	0,158			
	FE0-Kabel Dca 27x1,5	52	522 211 243		19,45	0,090	27,75	0,116			
		53	522 211 244		27,15	0,161	40,35	0,207			
	FE0-Kabel Dca 7x4	52	522 211 553		12,25	0,066	18,00	0,086			
		53	522 211 554		18,30	0,122	28,05	0,158			
	FE0-Kabel Dca 7x6	52	522 211 653		15,80	0,066	22,30	0,086			
		53	522 211 654		21,85	0,122	32,30	0,158			
	FE0-Kabel Dca 1x10	52	522 212 113		10,10	0,066	15,50	0,086			
		53	522 212 114		16,15	0,122	25,50	0,158			
	FE0-Kabel Dca 4x50	52	522 212 533		45,40	0,090	58,60	0,116			
		53	522 212 534		53,15	0,161	71,35	0,207			
	FE0-Kabel Dca 4x70	52	522 212 623		71,15	0,118	90,70	0,152			
		53	522 212 624		80,55	0,204	106,25	0,263			



522 Starkstromleiter

522.002

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x120	FE0-Kabel Dca 1x120	52	522 214 113		29,70	0,090	39,95	0,116			
		53	522 214 114		44,25	0,187	62,10	0,241			
 1x150	FE0-Kabel Dca 1x150	52	522 214 213		34,70	0,090	45,85	0,116			
		53	522 214 214		49,25	0,187	68,05	0,241			
 1x185	FE0-Kabel Dca 1x185	52	522 214 313		40,60	0,090	52,90	0,116			
		53	522 214 314		55,15	0,187	75,05	0,241			
 1x240	FE0-Kabel Dca 1x240	52	522 214 413		49,25	0,090	63,25	0,116			
		53	522 214 414		63,80	0,187	85,40	0,241			
 1x120	FE05-Kabel Cca 1x120	52	522 232 513		36,20	0,090	47,65	0,116			
		53	522 232 514		50,75	0,187	69,85	0,241			
 1x150	FE05-Kabel Cca 1x150	52	522 232 613		43,05	0,090	55,85	0,116			
		53	522 232 614		57,60	0,187	78,00	0,241			
 1x185	FE05-Kabel Cca 1x185	52	522 232 713		51,65	0,090	66,10	0,116			
		53	522 232 714		66,20	0,187	88,25	0,241			
 1x240	FE05-Kabel Cca 1x240	52	522 233 113		64,25	0,090	81,05	0,116			
		53	522 233 114		78,80	0,187	103,25	0,241			
 1x120	FE05-Kabel B2ca 1x120	52	522 235 513		36,20	0,090	47,65	0,116			
		53	522 235 514		50,75	0,187	69,85	0,241			
 1x150	FE05-Kabel B2ca 1x150	52	522 235 613		43,05	0,090	55,85	0,116			
		53	522 235 614		57,60	0,187	78,00	0,241			



522 Starkstromleiter

522.003

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE05-Kabel B2ca 1x185	52	522 235 713		51,65	0,090	66,10	0,116			
		53	522 235 714		66,20	0,187	88,25	0,241			
	FE05-Kabel B2ca 1x240	52	522 236 113		64,25	0,090	81,05	0,116			
		53	522 236 114		78,80	0,187	103,25	0,241			
	FE180/E30-Kabel 4x1,5	12	522 261 132		39,10	0,297	62,85	0,392			
		52	522 261 133		9,45	0,066	14,70	0,086			
		53	522 261 134		15,50	0,122	24,70	0,158			
	FE180/E30-Kabel 3x4	12	522 261 312	11	40,30	0,297	64,25	0,392			
		52	522 261 313	11	10,65	0,066	16,10	0,086			
		53	522 261 314	11	16,70	0,122	26,15	0,158			
	FE180/E30-Kabel 7x4	12	522 261 332	11	49,25	0,297	74,90	0,392			
		52	522 261 333	11	19,50	0,066	26,65	0,086			
		53	522 261 334	11	25,55	0,122	36,70	0,158			
	FE180/E30-Kabel 3x6	12	522 261 412	11	41,35	0,297	65,45	0,392			
		52	522 261 413	11	11,55	0,066	17,20	0,086			
		53	522 261 414	11	17,65	0,122	27,25	0,158			
	FE180/E30-Kabel 7x6	12	522 261 432	11	52,60	0,312	79,60	0,411			
		52	522 261 433	11	23,55	0,090	32,60	0,116			
		53	522 261 434	11	31,25	0,161	45,25	0,207			
	FE180/E30-Kabel 1x120	52	522 262 513		40,35	0,090	52,60	0,116			
		53	522 262 514		54,90	0,187	74,80	0,241			
	FE180/E30-Kabel 1x150	52	522 262 613		46,25	0,090	59,60	0,116			
		53	522 262 614		60,80	0,187	81,80	0,241			
	FE180/E30-Kabel 1x185	52	522 262 713		56,95	0,090	72,40	0,116			
		53	522 262 714		71,50	0,187	94,60	0,241			



522 Starkstromleiter

522.004

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E90-Kabel 4x1,5	12	522 263 132		45,15	0,297	70,05	0,392	109 211 436	8,30	9,90
		52	522 263 133		15,40	0,066	21,80	0,086			
		53	522 263 134		21,50	0,122	31,85	0,158			
	FE180/E90-Kabel 3x4	12	522 263 312	11	47,90	0,297	73,30	0,392	109 231 326	10,95	13,05
		52	522 263 313	11	18,05	0,066	24,95	0,086			
		53	522 263 314	11	24,15	0,122	35,00	0,158			
	FE180/E90-Kabel 7x4	12	522 263 332	11	52,60	0,297	78,90	0,392			
		52	522 263 333	11	22,60	0,066	30,40	0,086			
		53	522 263 334	11	28,65	0,122	40,40	0,158			
	FE180/E90-Kabel 3x6	12	522 263 412	11	54,15	0,297	80,75	0,392	109 241 326	17,20	20,50
		52	522 263 413	11	24,35	0,066	32,45	0,086			
		53	522 263 414	11	30,40	0,122	42,45	0,158			
	FE180/E90-Kabel 7x6	12	522 263 432	11	60,45	0,312	88,95	0,411			
		52	522 263 433	11	31,30	0,090	41,85	0,116			
		53	522 263 434	11	39,00	0,161	54,50	0,207			
	FE180/E90-Kabel 1x120	52	522 264 513		69,75	0,090	87,65	0,116	109 281 106	60,05	71,55
		53	522 264 514		84,30	0,187	109,80	0,241			
	FE180/E90-Kabel 1x150	52	522 264 613		86,55	0,090	107,65	0,116	109 284 106	76,85	91,55
		53	522 264 614		101,10	0,187	129,85	0,241			
	FE180/E90-Kabel 1x185	52	522 264 713		103,35	0,090	127,65	0,116	109 287 106	93,65	111,55
		53	522 264 714		117,90	0,187	149,85	0,241			
	FE180/E60-Kabel 4x1,5	12	522 265 132		42,80	0,297	67,25	0,392	109 211 434	5,95	7,10
		52	522 265 133		13,05	0,066	19,00	0,086			
		53	522 265 134		19,10	0,122	29,05	0,158			
	FE180/E60-Kabel 3x4	12	522 265 312	11	45,40	0,297	70,35	0,392	109 231 324	8,55	10,20
		52	522 265 313	11	15,65	0,066	22,10	0,086			
		53	522 265 314	11	21,75	0,122	32,15	0,158			



522 Starkstromleiter

522.005

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	FE180/E60-Kabel 7x4	12	522 265 332	11	50,75	0,297	76,70	0,392			
		52	522 265 333	11	20,80	0,066	28,25	0,086			
		53	522 265 334	11	26,90	0,122	38,30	0,158			
	FE180/E60-Kabel 3x6	12	522 265 412	11	49,25	0,297	74,95	0,392	109 241 324	12,30	14,70
		52	522 265 413	11	19,45	0,066	26,60	0,086			
		53	522 265 414	11	25,50	0,122	36,65	0,158			
	FE180/E60-Kabel 7x6	12	522 265 432	11	54,30	0,312	81,65	0,411			
		52	522 265 433	11	25,30	0,090	34,65	0,116			
		53	522 265 434	11	32,95	0,161	47,30	0,207			
	FE180/E60-Kabel 1x120	52	522 266 513		40,35	0,090	52,60	0,116			
		53	522 266 514		54,90	0,187	74,80	0,241			
	FE180/E60-Kabel 1x150	52	522 266 613		46,25	0,090	59,60	0,116			
		53	522 266 614		60,80	0,187	81,80	0,241			
	FE180/E60-Kabel 1x185	52	522 266 713		56,95	0,090	72,40	0,116			
		53	522 266 714		71,50	0,187	94,60	0,241			
	Kabel Eca 5x6 + 5x1,5 mit Steuerleiter 0-4	52	522 351 103		25,15	0,066	33,40	0,086			
		53	522 351 104		31,25	0,122	43,50	0,158			
	Kabel Eca 5x10 + 5x1,5 mit Steuerleiter 0-4	52	522 351 203		34,55	0,090	45,70	0,116			
		53	522 351 204		42,35	0,161	58,45	0,207			
	AS FE0/FE05-Kabel -12x2,5	72	522 381 141		125,05	0,990	200,30	1,290			
		73	522 381 142		291,90	2,508	498,65	3,414			
		71	522 381 143		49,00	0,454	81,35	0,586			
	AS FE0/FE05-Kabel -16x2,5	72	522 381 151		163,70	1,350	264,50	1,754			
		73	522 381 152		382,10	3,336	655,35	4,536			
		71	522 381 153		62,30	0,578	103,45	0,746			



522 Starkstromleiter

522.006

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS FE0/FE05-Kabel -21x2,5	72	522 381 161		186,25	1,560	301,80	2,024			
		73	522 381 162		459,30	4,040	792,50	5,514			
		71	522 381 163		79,05	0,734	131,10	0,946			
	AS FE0/FE05-Kabel -27x2,5	72	522 381 171		257,40	1,942	405,75	2,516			
		73	522 381 172		616,60	5,206	1'049,80	7,098			
		71	522 381 173		98,80	0,918	163,75	1,182			
	AS FE0/FE05-Kabel -1x120	72	522 381 611		88,35	0,648	139,20	0,848			
		73	522 381 612		162,75	1,142	256,75	1,514			
	AS FE0/FE05-Kabel -5x120	72	522 381 631		227,50	1,982	372,10	2,564			
		73	522 381 632		454,40	3,100	720,10	4,160			
	AS FE0/FE05-Kabel 1x150	72	522 381 711		118,50	0,648	175,15	0,848			
		73	522 381 712		197,10	1,142	297,65	1,514			
	AS FE0/FE05-Kabel 5x6 + 5x1,5	72	522 384 101		120,05	0,946	192,55	1,236			
		73	522 384 102		262,80	2,238	447,10	3,042			
		71	522 384 103		45,35	0,420	75,25	0,542			
	AS FE0/FE05-Kabel 5x10 + 5x1,5	72	522 384 201		184,65	1,264	285,75	1,648			
		73	522 384 202		343,65	2,572	560,70	3,476			
		71	522 384 203		55,85	0,518	92,95	0,670			
	AS FE0/FE05-Kabel 1x240	72	522 385 111		131,35	0,768	196,45	1,002			
		73	522 385 112		246,25	1,378	368,05	1,818			
	AS FE0/FE05-Kabel 1x185	72	522 385 211		131,35	0,768	196,45	1,002			
		73	522 385 212		230,35	1,378	349,15	1,818			
	AS FE180/-E90-Kabel 1x150	72	522 386 112		118,50	0,648	175,15	0,848			
		73	522 386 113		197,10	1,142	297,65	1,514			



522 Starkstromleiter

522.007

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
 1x185	AS FE180/-E90-Kabel 1x185	72	522 386 212		131,35	0,768	196,45	1,002			
		73	522 386 213		230,35	1,378	349,15	1,818			
 -3x6	AS FE180/-E90-Kabel -3x6	71	522 387 211		26,05	0,240	43,20	0,310			
		72	522 387 212		79,80	0,626	128,00	0,820			
		73	522 387 213		134,95	1,126	224,60	1,506			
 -7x6	AS FE180/-E90-Kabel -7x6	71	522 387 231		32,05	0,296	53,15	0,382			
		72	522 387 232		102,95	0,784	163,55	1,024			
		73	522 387 233		207,70	1,728	349,00	2,336			
 1x120	AS FE180/-E90-Kabel 1x120	72	522 387 712		88,35	0,648	139,20	0,848			
		73	522 387 713		162,75	1,142	256,75	1,514			
 3x6/6	GKN-Kabel hf 3x6/6	52	522 411 114		15,50	0,090	23,00	0,116			
		53	522 411 115		23,15	0,161	35,65	0,207			
 3x10/10	GKN-Kabel hf 3x10/10	52	522 411 124		17,40	0,090	25,25	0,116			
		53	522 411 125		25,05	0,161	37,90	0,207			
 3x16/16	GKN-Kabel hf 3x16/16	52	522 411 134		20,80	0,090	29,30	0,116			
		53	522 411 135		28,60	0,161	42,10	0,207			
 3x25/25	GKN-Kabel hf 3x25/25	52	522 411 144		26,30	0,090	35,90	0,116			
		53	522 411 145		34,05	0,161	48,60	0,207			
 3x50/50	GKN-Kabel hf 3x50/50	52	522 411 164		89,95	0,118	113,10	0,152	106 770 411	77,25	92,00
		53	522 411 165		99,35	0,204	128,65	0,263			
 3x95/95	GKN-Kabel hf 3x95/95	52	522 411 174		66,75	0,137	86,45	0,177			
		53	522 411 175		76,35	0,225	102,25	0,290			



522 Starkstromleiter

522.008

© EIT.swiss 01.23

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	GKN-Kabel hf 3x150/150	52	522 411 224		103,55	0,208	133,80	0,268			
		53	522 411 225		114,55	0,309	152,00	0,398			
	GKN-Kabel hf 3x185/185	52	522 411 234		138,50	0,208	175,45	0,268			
		53	522 411 235		149,50	0,309	193,65	0,398			
	GKN-Kabel hf 3x240/240	52	522 411 244		171,05	0,287	218,20	0,370			
		53	522 411 245		183,65	0,403	239,15	0,520			
	GKN-Kabel hf 1x95/35	52	522 411 414		32,90	0,118	45,10	0,152			
		53	522 411 415		49,20	0,230	70,25	0,297			
	GKN-Kabel hf 1x150/50	52	522 411 424		40,65	0,118	54,35	0,152			
		53	522 411 425		57,00	0,230	79,50	0,297			
	GKN-Kabel hf 1x240/80	52	522 411 434		58,70	0,137	76,85	0,177			
		53	522 411 435		75,20	0,251	102,25	0,324			
	GKN-Kabel hf 4x6/6 EMV optimiert	52	522 411 514		16,50	0,090	24,15	0,116			
		53	522 411 515		24,15	0,161	36,80	0,207			
	GKN-Kabel hf 4x10/10 EMV optimiert	52	522 411 524		19,35	0,090	27,60	0,116			
		53	522 411 525		27,05	0,161	40,25	0,207			
	GKN-Kabel hf 4x16/16 EMV optimiert	52	522 411 534		24,35	0,090	33,55	0,116			
		53	522 411 535		32,20	0,161	46,35	0,207			
	GKN-Kabel hf 4x25/25 EMV optimiert	52	522 411 544		30,70	0,090	41,10	0,116			
		53	522 411 545		38,45	0,161	53,80	0,207			



522 Starkstromleiter

522.009

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	GKN-Kabel hf 4x50/50 EMV optimiert	52	522 411 564		50,25	0,118	65,80	0,152			
		53	522 411 565		59,65	0,204	81,35	0,263			
	GKN-Kabel hf 4x95/95 EMV optimiert	52	522 411 574		81,90	0,137	104,55	0,177			
		53	522 411 575		91,55	0,225	120,35	0,290			
	GKN-Kabel hf 4x150/150 EMV optimiert	52	522 411 624		130,70	0,208	166,15	0,268			
		53	522 411 625		141,70	0,309	184,35	0,398			
	GKN-Kabel hf 4x185/185 EMV optimiert	52	522 411 634		172,15	0,208	215,55	0,268			
		53	522 411 635		183,15	0,309	233,70	0,398			
	GKN-Kabel hf 4x240/240 EMV optimiert	52	522 411 644		207,30	0,287	261,40	0,370			
		53	522 411 645		219,90	0,403	282,35	0,520			
	EMV-Kabel B2ca flex 4x185 + 95, induktionsfrei	52	522 451 153		250,40	0,233	310,40	0,303			
		53	522 451 154		262,60	0,345	330,90	0,450			
	EMV-Kabel B2ca flex 4x240 + 120, induktionsfrei	52	522 451 163		326,20	0,322	405,15	0,418			
		53	522 451 164		340,40	0,453	428,85	0,588			
	EMV-FE180/E30-Kabel B2ca flex 4x185 + 95, induktionsfrei	52	522 452 153		323,70	0,233	397,70	0,303			
		53	522 452 154		335,90	0,345	418,25	0,450			
	EMV-FE180/E30-Kabel B2ca flex 4x240 + 120, induktionsfrei	52	522 452 163		403,05	0,322	496,70	0,418			
		53	522 452 164		417,25	0,453	520,40	0,588			
	AS GKN-Kabel 1x95/35	72	522 483 112		360,20	2,006	529,85	2,594			
		73	522 483 113		439,05	2,530	654,20	3,298			



522 Starkstromleiter

522.010

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS GKN-Kabel 1x150/50	72	522 483 122		378,00	2,135	557,30	2,759			
		73	522 483 123		480,60	2,765	717,90	3,619			
	AS GKN-Kabel 1x240/80	72	522 483 132		441,65	2,630	658,10	3,397			
		73	522 483 133		563,75	3,232	839,10	4,211			
	AS GKN-Kabel -4x10/10	72	522 483 312		290,95	1,840	440,25	2,382			
		73	522 483 313		376,20	2,528	586,30	3,340			
	AS GKN-Kabel -4x25/25	72	522 483 322		468,35	2,144	666,35	2,770			
		73	522 483 323		564,30	2,844	825,50	3,742			
	AS GKN-Kabel -4x50/50	72	522 483 332		576,40	2,787	827,65	3,601			
		73	522 483 333		737,15	3,845	1'082,65	5,039			
	AS GKN-Kabel -4x95/95	72	522 483 342		754,20	3,430	1'071,75	4,429			
		73	522 483 343		939,50	4,400	1'351,50	5,753			
	AS GKN-Kabel -4x150/150	72	522 483 352		786,50	3,713	1'124,40	4,793			
		73	522 483 353		1'075,60	5,215	1'566,20	6,887			
	AS GKN-Kabel -4x185/185	72	522 483 362		678,05	4,088	1'014,10	5,274			
		73	522 483 363		1'013,70	5,654	1'514,30	7,448			
	AS GKN-Kabel -4x240/240	72	522 483 372		709,40	4,348	1'064,35	5,608			
		73	522 483 373		1'126,25	5,932	1'662,60	7,808			
	AS EMV-Kabel flex 4x185+95	73	522 485 152		921,35	5,790	1'418,35	7,692			



522 Starkstromleiter

522.011

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS EMV-Kabel flex 4x240+120	73	522 485 162		1'027,00	6,162	1'565,45	8,190			
	Flex-Kabel B2ca 1x120	52	522 532 513		30,90	0,090	41,35	0,116			
		53	522 532 514		45,45	0,187	63,50	0,241			
	Flex-Kabel B2ca 1x150	52	522 532 613		36,50	0,090	48,00	0,116			
		53	522 532 614		51,05	0,187	70,20	0,241			
	Flex-Kabel B2ca 1x185	52	522 532 713		42,65	0,090	55,35	0,116			
		53	522 532 714		57,25	0,187	77,55	0,241			
	Flex-Kabel B2ca 1x240	52	522 533 113	17	51,70	0,090	66,15	0,116			
		53	522 533 114	17	66,25	0,187	88,30	0,241			
	Flex-Kabel Cca 2x1	11	522 544 211		9,40	0,073	14,85	0,094			
		52	522 544 213		7,70	0,060	12,15	0,077			
		53	522 544 214		12,80	0,107	20,65	0,138			
	Flex-Kabel Cca 7x1	52	522 544 253		10,05	0,066	15,45	0,086			
		53	522 544 254		16,15	0,122	25,45	0,158			
	Flex-Kabel Cca 12x1	52	522 544 273		12,15	0,066	17,90	0,086			
		53	522 544 274		18,20	0,122	27,95	0,158			
	Flex-Kabel Cca 2x1,5	11	522 544 311		9,90	0,073	15,50	0,094			
		52	522 544 313		8,25	0,060	12,80	0,077			
		53	522 544 314		13,35	0,107	21,30	0,138			
	Flex-Kabel Cca 10x1,5	52	522 544 363		13,00	0,066	18,90	0,086			
		53	522 544 364		19,05	0,122	28,95	0,158			



522 Starkstromleiter

522.012

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Flex-Kabel Cca 12x1,5	52	522 544 373		14,50	0,066	20,70	0,086			
		53	522 544 374		20,55	0,122	30,75	0,158			
	Flex-Kabel Cca 7x4	52	522 544 533		23,60	0,066	31,55	0,086			
		53	522 544 534		29,65	0,122	41,60	0,158			
	Flex-Kabel Cca 7x6	52	522 544 653		25,30	0,090	34,70	0,116			
		53	522 544 654		33,00	0,161	47,35	0,207			
	Flex-Kabel Cca 1x120	52	522 545 753		65,00	0,090	81,95	0,116	114 281 106	55,30	65,90
		53	522 545 754		79,55	0,187	104,15	0,241			
	Flex-Kabel Cca 1x150	52	522 546 153		78,30	0,090	97,80	0,116	114 284 106	68,60	81,75
		53	522 546 154		92,85	0,187	120,00	0,241			
	Flex-Kabel Cca 1x185	52	522 546 253		93,60	0,090	116,05	0,116	114 287 106	83,95	99,95
		53	522 546 254		108,15	0,187	138,25	0,241			
	Flex-Kabel Cca 1x240	52	522 546 353		118,40	0,090	145,60	0,116	114 290 006	108,75	129,50
		53	522 546 354		133,00	0,187	167,80	0,241			
	Flex-Kabel Cca 4x0,75 geschirmt	11	522 553 111		11,20	0,073	17,05	0,094	118 854 040	3,05	3,65
		52	522 553 113		9,55	0,060	14,35	0,077			
		53	522 553 114		14,65	0,107	22,85	0,138			
	Flex-Kabel Cca 8x0,75 geschirmt	11	522 553 121		16,35	0,073	23,15	0,094	118 854 080	8,25	9,80
		52	522 553 123		15,35	0,066	21,70	0,086			
		53	522 553 124		21,40	0,122	31,75	0,158			
	Flex-Kabel Cca 12x0,75 geschirmt	52	522 553 133		14,80	0,066	21,05	0,086	118 854 120	7,65	9,15
		53	522 553 134		20,85	0,122	31,10	0,158			



522 Starkstromleiter

522.013

© EIT.swiss 01.23











Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Flex-Kabel Cca 18x0,75 geschirmt	52	522 553 143		22,10	0,066	29,80	0,086	118 854 180	15,00	17,85
		53	522 553 144		28,20	0,122	39,80	0,158			
	Flex-Kabel Cca 25x0,75 geschirmt	52	522 553 153		20,10	0,066	27,35	0,086			
		53	522 553 154		26,15	0,122	37,40	0,158			
	Flex-Kabel Cca 2x1 geschirmt	11	522 553 211		10,45	0,073	16,10	0,094	118 855 020	2,30	2,75
		52	522 553 213		8,75	0,060	13,40	0,077			
		53	522 553 214		13,85	0,107	21,90	0,138			
	Flex-Kabel Cca 7x1 geschirmt	52	522 553 253		12,90	0,066	18,80	0,086	118 855 070	5,80	6,90
		53	522 553 254		18,95	0,122	28,85	0,158			
	Flex-Kabel Cca 12x1 geschirmt	52	522 553 273		16,35	0,066	22,90	0,086	118 855 120	9,25	11,00
		53	522 553 274		22,40	0,122	32,95	0,158			
	Flex-Kabel PVC 2x2x0,5 geschirmt	11	522 562 111		10,80	0,073	16,55	0,094	113 773 023	2,70	3,20
		52	522 562 113		9,15	0,060	13,85	0,077			
		53	522 562 114		14,25	0,107	22,35	0,138			
	Flex-Kabel PVC 3x2x0,5 geschirmt	11	522 562 121		11,30	0,073	17,10	0,094	113 773 033	3,15	3,75
		52	522 562 123		10,25	0,066	15,65	0,086			
		53	522 562 124		16,35	0,122	25,70	0,158			
	Flex-Kabel PVC 4x2x0,5 geschirmt	11	522 562 131		12,55	0,073	18,60	0,094	113 773 043	4,40	5,25
		52	522 562 133		11,50	0,066	17,15	0,086			
		53	522 562 134		17,55	0,122	27,20	0,158			
	AS Flex-Kabel -12x2,5	72	522 581 141		127,35	0,990	203,05	1,290			
		73	522 581 142		291,90	2,508	498,65	3,414			
		71	522 581 143		49,00	0,454	81,35	0,586			
	AS Flex-Kabel -1x120	72	522 581 612		91,45	0,648	142,95	0,848			
		73	522 581 613		162,75	1,142	256,75	1,514			



522 Starkstromleiter

522.014

© EIT.swiss 01.23






Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	AS Flex-Kabel 1x185	72	522 582 112		131,35	0,768	196,45	1,002			
		73	522 582 113		233,70	1,378	353,15	1,818			
	AS Flex-Kabel 1x240	72	522 582 212		131,35	0,768	196,45	1,002			
		73	522 582 213		246,25	1,378	368,05	1,818			
	AS Flex-Kabel 1x150	72	522 582 312		118,50	0,648	175,15	0,848			
		73	522 582 313		200,45	1,142	301,65	1,514			
	AS Flex-Kabel -18x1,5 geschirmt	71	522 585 751		79,05	0,734	131,10	0,946			
		72	522 585 752		182,65	1,560	297,55	2,024			
		73	522 585 753		418,65	3,728	722,60	5,070			
	AS Flex-Kabel -25x1,5 geschirmt	71	522 585 761		98,80	0,918	163,75	1,182			
		72	522 585 762		224,50	1,942	366,55	2,516			
		73	522 585 763		557,25	4,998	964,80	6,802			
	Draht Eca 1x6	52	522 713 411		7,55	0,049	11,60	0,064	105 002 400	2,25	2,70
		53	522 713 412		10,15	0,073	15,75	0,094			
	Seil Eca 1x10	52	522 723 111		10,55	0,060	15,50	0,077	105 502 500	4,05	4,85
		53	522 723 112		15,55	0,107	23,95	0,138			
	Seil Eca 1x16	52	522 723 211		12,80	0,060	18,20	0,077	105 502 600	6,30	7,55
		53	522 723 212		17,85	0,107	26,65	0,138			
	Seil Eca 1x25	52	522 723 311		17,60	0,066	24,45	0,086	105 502 700	10,50	12,50
		53	522 723 312		23,65	0,122	34,40	0,158			
	Seil Eca 1x35	52	522 723 411		20,80	0,066	28,20	0,086	105 502 800	13,65	16,25
		53	522 723 412		26,80	0,122	38,15	0,158			



522 Starkstromleiter

522.015

© EIT.swiss 01.23

Allgemeine Informationen				Unternehmer-Informationen (unverbindliche Richtwerte)							
		IC	NPK	Produkteinträge (PRD)	Leistung 1 CHF	Leistung 1 h	Leistung 2 CHF	Leistung 2 h	ELDAS Nummer	Material 1 CHF	Material 2 CHF
	Seil Eca 1x50	52	522 723 511		26,20	0,066	34,65	0,086	105 502 900	19,10	22,75
		53	522 723 512		32,20	0,122	44,65	0,158			
	Litze Eca 1x1,5	52	522 732 311		6,05	0,049	9,80	0,064	113 113 801	0,75	0,90
	Litze Eca 1x2,5	52	522 732 411		6,35	0,049	10,15	0,064	113 103 908	1,05	1,30
	Litze Eca 1x4	52	522 732 511		7,00	0,049	10,90	0,064	113 104 008	1,70	2,05
	Litze Eca 1x6	52	522 732 611		7,80	0,049	11,85	0,064	113 104 100	2,50	2,95



© EIT.swiss 01.23